

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S152	37347	(@ad<"20030701" or @rlad<"20030701") and (byt \$4 or bit\$4) near count\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 11:21
S153	20	(@ad<"20030701" or @rlad<"20030701") and (byt \$4 or bit\$4) near count\$3 near15 endpoint\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 11:22
S154	37347	(@ad<"20030701" or @rlad<"20030701") and (byt \$4 or bit\$4) near count\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 12:59
S155	10429	(@ad<"20030701" or @rlad<"20030701") and (byt \$4 or bit\$4) near count\$3 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 12:59
S156	6	"2008002583"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 13:37
S157	2	"20080002583"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 13:37
S158	2	"20080002583" and application\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 13:37
S162	19020	(@ad<"20030701" or @rlad<"20030701") and count\$5 near15 byte\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:15

S163	2323	(@ad<"20030701" or @rlad<"20030701") and count\$5 adj byte\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:16
S164	6628	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:16
S165	3	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 tunnel \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:16
S166	144	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 switch \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:20
S167	0	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 switch \$4 same tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:20
S168	15	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 same tunnel \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:21
S169	20	(@ad<"20030701" or @rlad<"20030701") and bit \$1 adj count\$4 same tunnel \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:26
S170	295	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:33
S171	139	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 and tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:33

S172	3	(@ad<"20030701" or @rlad<"20030701") and analy\$5 near15 byte\$1 adj count\$4 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:34
S173	10	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 (source\$1 or target or destination or recipient\$1) and tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:37
S174	23	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 (source\$1 or target or destination or recipient\$1) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:39
S175	13	S174 not S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:39
S176	359	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 (differentiat\$4 or distinguish or identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:41
S177	2	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 near15 (differentiat\$4 or distinguish or identif\$4) same endpoint \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:41
S178	25	(@ad<"20030701" or @rlad<"20030701") and byte \$1 adj count\$4 same endpoint\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:42
S179	355	(@ad<"20030701" or @rlad<"20030701") and frame\$1 adj count\$4 near15 (differentiat\$4 or distinguish or identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:50
S180	0	(@ad<"20030701" or @rlad<"20030701") and frame\$1 adj count\$4 near15 (differentiat\$4 or distinguish or identif\$4) near15 endpoint \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:51

S182	9	(@ad<"20030701" or @rlad<"20030701") and frame\$1 adj count\$4 near15 (differentiat\$4 or distinguish or identif\$4) near15 (source \$1 or destination\$1 or target \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 15:51
S183	6755	(@ad<"20030701" or @rlad<"20030701") and analy\$6 same (tunnel\$4 or vpn or gtp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 16:06
S184	46	(@ad<"20030701" or @rlad<"20030701") and analy\$6 same (tunnel\$4 or vpn or gtp) and byte\$1 near count\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 16:07
S185	0	(@ad<"20030701" or @rlad<"20030701") and analy\$6 same (tunnel\$4 or vpn or gtp) and graphic\$4 near15 byte\$1 near count\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 16:07
S186	0	(@ad<"20030701" or @rlad<"20030701") and analy\$6 same (tunnel\$4 or vpn or gtp) and display\$4 near15 byte\$1 near count\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 16:07
S187	0	(@ad<"20030701" or @rlad<"20030701") and analy\$6 same (tunnel\$4 or vpn or gtp) and gui near15 byte\$1 near count\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/27 16:07

5/ 27/ 2009 5:45:01 PM

C:\ Documents and Settings\ plee2\ My Documents\ EAST\ Workspaces\ 10612550pcl.wsp